Contents

Volume 104 1993

Commentaries

Heinhorst, S. and Cannon, G. C.
DNA replication in chloroplasts 1-9

Kampinga, H. H.
Thermotolerance in mammalian cells: protein denaturation and aggregation, and stress proteins 11-17

Rothbarth, K., Petzelt, C., Lu, X., Todorov, I. T., Joswig, G., Pepperkok, R., Ansorge, W. and Werner, D.
cDNA-derived molceular characteristics and antibodies to a new centrosome-associated and G_2/M phase-prevalent protein 19-30

de la Hoz, C. and Baroja, A.
Proliferative behaviour of high-ploidy cells in two murine tumour lines 31-36

Nabi, I. R., Mathews, A. P., Cohen-Gould, L., Gundersen, D. and Rodriguez-Boulan, E.
Immortalization of polarized rat retinal pigment epithelium 37-49

McDermott, R. H. and Butler, M.
Uptake of glutamate, not glutamine synthetase, regulates adaptation of mammalian cells to glutamine-free medium 51-58

Laurila, P. and Leivo, I.
Basement membrane and interstitial matrix components form separate matrices in heterokaryons of PYS-2 cells and fibroblasts 59-68

Tucker, R. P., Hammarback, J. A., Jenrath, D. A., Mackie, E. J. and Xu, Y.
Tenascin expression in the mouse: in situ localization and induction in vitro by bFGF 69-76

Cao, Y., Ekström, M. and Pettersson, R. F.
Characterization of the nuclear translocation of acidic fibroblast growth factor 77-87

Stochaj, U., Bossie, M. A., van Zee, K., Whalen, A. M. and Silver, P. A.
Analysis of conserved binding proteins for nuclear localization sequences 89-95

Callaini, G., Dallai, R. and Riparbelli, M. G.
F-actin domains in the syncytial blastoderm of the dipteran *Ceratitis capitata* 97-104

Hoops, H. J.
Flagellar, cellular and organismal polarity in *Volvox carteri* 105-117

Soteriou, A., Gamage, M. and Trinick, J.
A survey of the interactions made by the giant protein titin 119-123

Ohta, K., Shiina, N., Okumura, E., Hisanaga, S.-I., Kishimoto, T., Endo, S., Gotoh, Y., Nishida, E. and Sakai, H.
Microtubule nucleating activity of centrosomes in cell-free extracts from *Xenopus* eggs: involvement of phosphorylation and accumulation of pericentriolar material 125-137

Kallajoki, M., Harborth, J., Weber, K. and Osborn, M.
Microinjection of a monoclonal antibody against SPN antigen, now identified by peptide sequences as the NuMA protein, induces micronulcei in PtK2 cells 139-150

Burkhardt, J. K., McIlvain, J. M. Jr, Sheetz, M. P. and Argon, Y.
Lytic granules from cytotoxic T cells exhibit kinesin-dependent motility on microtubules in vitro 151-162

Flaherty, S. P. and Swann, N. J.
Proteases are not involved in the membrane fusion events of the lysolecithin-mediated guinea pig sperm acrosome reaction 163-172

Shearman, M. S., Heyworth, C. M., Dexter, T. M., Haefner, B., Owen, P. J. and Whetton, A. D.
Haemopoietic stem cell development to neutrophils is associated with subcellular redistribution and differential expression of protein kinase C subspecies 173-180

Bominaar, A. A. and Van Haastert, P. J. M.
Chemotactic antagonsists of cAMP inhibit *Dictyostelium* phospholipase C 181-185

Timmons, P. M., Chan, C.-T. J., Rigby, P. W. J. and Poirier, F.
The gene encoding the calcium binding protein calcyclin is expressed at sites of exocytosis in the mouse 187-196

Sordano, C., Cristino, E., Bussolino, F., Wurster, B. and Bozzaro, S.
Platelet activating factor modulates signal transduction in *Dictyostelium* 197-202

Lindau, M., Nüsse, O., Bennett, J. and Cromwell, O.
The membrane fusion events in degranulating guinea pig eosinophils 203-210

Yang, Q. R., Smets, R. M. E., Neetens, A. and Vanden Berghe, D.
Human retinal pigment epithelial cells from different donors continuously produce a vascular endothelial cell-stimulating factor into serum-free medium 211-218

Commentaries

Cardenas, M. E. and Gasser, S. M.
Regulation of topoisomerase II by phosphorylation: a role for casein kinase II 219-225

Kües, U. and Casselton, L. A.
The origin of multiple mating types in mushrooms 227-230

Goss, S. J.
A fresh look at the somatic cell genetics of hepatoma differentiation 231-235

Tang, T. K., Hong, T.-M., Lin, C. Y. Lai, M.-L., Liu, C. H. L., Lo, H.-J., Wang, M.-E., Chen, L. B., Chen, W.-T., Ip, W., Lin, D. C., Lin, J. J.-C., Lin, S., Sun,

Contents

T.-T., Wang, E., Wang, J. L., Wu, R., Wu, C. W. and Chien, S.
Nuclear proteins of the bovine esophageal epithelium. I. Monoclonal antibody W2 specifically reacts with condensed nuclei of differentiated superficial cells 237-247

Tang, T. K., Tang, C.-j. C., Chen, Y.-L. and Wu, C.-W.
Nuclear proteins of the bovine esophageal epithelium. II. The NuMA gene gives rise to multiple mRNAs and gene products reactive with monoclonal antibody W1 249-260

Wendell, K. L., Wilson, L. and Jordan, M. A.
Mitotic block in HeLa cells by vinblastine: ultrastructural changes in kinetochore-microtubule attachment and in centrosomes 261-274

Hanein, D., Sabanay, H., Addadi, L. and Geiger, B.
Selective interactions of cells with crystal surfaces. Implications for the mechanism of cell adhesion 275-288

Hiraiwa, N., Kida, H., Sakakura, T. and Kusakabe, M.
Induction of tenascin in cancer cells by interactions with embryonic mesenchyme mediated by a diffusible factor 289-296

Bridger, J. M., Kill, I. R., O'Farrell, M. and Hutchison, C. J.
Internal lamin structures within G_1 nuclei of human dermal fibroblasts 297-306

Bayly, A. C., French, N. J., Dive, C. and Roberts, R. A.
Non-genotoxic hepatocarcinogenesis in vitro: the FaO hepatoma line responds to peroxisome proliferators and retains the ability to undergo apoptosis 307-315

Oberhammer, F., Fritsch, G., Schmied, M., Pavelka, M., Printz, D., Purchio, T., Lassmann, H. and Schulte-Hermann, R.
Condensation of the chromatin at the membrane of an apoptotic nucleus is not associated with activation of an endonuclease 317-326

Roussel, P., André, C., Masson, C., Géraud, G. and Hernandez-Verdun, D.
Localization of the RNA polymerase I transcription factor hUBF during the cell cycle 327-337

Brown, A., Li, Y., Slaughter, T. and Black, M. M.
Composite microtubules of the axon: quantitative analysis of tyrosinated and acetylated tubulin along individual axonal microtubules 339-352

Petroll, W. M., Cavanagh, H. D., Barry, P., Andrews, P. and Jester, J. V.
Quantitative analysis of stress fiber orientation during corneal wound contraction 353-363

Messiaen, J., Read, N. D., Van Cutsem, P. and Trewavas, A. J.
Cell wall oligogalacturonides increase cytosolic free calcium in carrot protoplasts 365-371

Kennel, S. J., Lankford, T. K., Foote, L. J., Shinpock, S. G. and Stringer, C.
CD44 expression on murine tissues 373-382

Palacios, M. J., Joshi, H. C., Simerly, C. and Schatten, G.
γ-Tubulin reorganization during mouse fertilization and early development 383-389

Koutoulis, A., Ludwig, M. and Wetherbee, R.
A scale associated protein of *Apedinella radians* (Pedinellophyceae) and its possible role in the adhesion of surface components 391-398

Edwards, J. G., Campbell, G., Carr, M. and Edwards, C. C.
Shapes of cells spreading on fibronectin: measurement of the stellation of BHK21 cells induced by raising cyclic AMP, and of its reversal by serum and lysophosphatidic acid 399-407

Gray, A. J., Bishop, J. E., Reeves, J. T. and Laurent, G. J.
Aα and Bβ chains of fibrinogen stimulate proliferation of human fibroblasts 409-413

Baker, J. and Garrod, D.
Epithelial cells retain junctions during mitosis 415-425

Parpura, V., Haydon, P. G. and Henderson, E.
Three-dimensional imaging of living neurons and glia with the atomic force microscope 427-432

Lafont, F., Rouget, M., Rousselet, A., Valenza, C. and Prochiantz, A.
Specific responses of axons and dendrites to cytoskeleton perturbations: an in vitro study 433-443

Suprenant, K. A., Dean, K., McKee, J. and Hake, S.
EMAP, an echinoderm microtubule-associated protein found in microtubule-ribosome complexes 445-456

Eliott, S., Joss, G. H., Spudich, A. and Williams, K. L.
Patterns in *Dictyostelium discoideum*: the role of myosin II in the transition from the unicellular to the multicellular phase 457-466

Winder, A. J., Wittbjer, A., Rosengren, E. and Rorsman, H.
Fibroblasts expressing mouse *c* locus tyrosinase produce an authentic enzyme and synthesise phaeomelanin 467-475

Alvarez-Silva, M., da Silva, L.-C. F. and Borojevic, R.
Cell membrane-associated proteoglycans mediate extramedullar myeloid proliferation in granulomatous inflammatory reactions to schistosome eggs 477-484

Sipiczki, M., Grallert, B. and Miklos, I.
Mycelial and syncytial growth in *Schizosaccharomyces pombe* induced by novel septation mutations 485-493

Shepherd, V. A., Orlovich, D. A. and Ashford, A. E.
A dynamic continuum of pleiomorphic tubules and vacuoles in growing hyphae of a fungus 495-507

Rudick, V. L., Rudick, M. J. and Brun-Zingernagel, A.-M.
Amplification of the Golgi complex in MDCK cells secreting human growth hormone 509-520

Roberts, R. L., Fine, R. E. and Sandra, A.
Receptor-mediated endocytosis of transferrin at the blood-brain barrier 521-532

Cardenas, M. E., Walter, R., Hanna, D. and Gasser, S. M.
Casein kinase II copurifies with yeast DNA topoisomerase II and re-activates the dephosphorylated enzyme 533-543

Sewing, A., Bürger, C., Brüsselbach, S., Schalk, C., Lucibello, F. C. and Müller, R.
Human cyclin D1 encodes a labile nuclear protein whose synthesis is directly induced by growth factors and suppressed by cyclic AMP 545-555

Vester, B., Smith, A., Krohne, G. and Benavente, R.
Presence of a nuclear lamina in pachytene spermatocytes of the rat 557-563

Zhang, H. and Ruderman, J. V.
Differential replication capacities of G_1 and S-phase extracts from sea urchin eggs 565-572

Saunders, W. S., Chue, C., Goebl, M., Craig, C., Clark, R. F., Powers, J. A., Eissenberg, J. C., Elgin, S. C. R., Rothfield, N. F. and Earnshaw, W. C.
Molecular cloning of a human homologue of *Drosophila* heterochromatin protein HP1 using anti-centromere autoantibodies with *anti-chromo* specificity 573-582

Gomes, R., Karess, R. E., Ohkura, H., Glover, D. M. and Sunkel, C. E.
Abnormal anaphase resolution (*aar*): a locus required for progression through mitosis in *Drosophila* 583-593

Tanaka, J., Watanabe, T., Nakamura, N. and Sobue, K.
Morphological and biochemical analyses of contractile proteins (actin, myosin, caldesmon and tropomyosin) in normal and transformed cells 595-606

Commentaries

James, D. E., Piper, R. C. and Slot, J. W.
Targeting of mammalian glucose transporters 607-612

Ingber, D. E.
Cellular tensegrity: defining new rules of biological design that govern the cytoskeleton 613-627

Hattori, H., Kaneda, T., Lokeshwar, B., Laszlo, A. and Ohtsuka, K.
A stress-inducible 40 kDa protein (hsp40): purification by modified two-dimensional gel electrophoresis and co-localization with hsc70(p73) in heat-shocked HeLa cells 629-638

Perret, E., Davoust, J., Albert, M., Besseau, L. and Soyer-Gobillard, M.-O.
Microtubule organization during the cell cycle of the primitive eukaryote dinoflagellate *Crypthecodinium cohnii* 639-651

Paleček, E., Robert-Nicoud, M. and Jovin, T. M.
Local opening of the DNA double helix in eukaryotic cells detected by osmium probe and adduct-specific immunofluorescence 65?-661

Lakkakorpi, P. T., Helfrich, M. H., Horton, M. A. and Väänänen, H. K.
Spatial organization of microfilaments and vitronectin receptor, $\alpha_v\beta_3$, in osteoclasts. A study using confocal laser scanning microscopy 663-670

Schweizer, A., Ericsson, M., Bächi, T., Griffiths, G. and Hauri, H.-P.
Characterization of a novel 63 kDa membrane protein Implications for the organization of the ER-to-Golgi pathway 671-683

Schweizer, A., Rohrer, J., Jenö, P., DeMaio, A., Buchman, T. G. and Hauri, H.-P.
A reversibly palmitoylated resident protein (p63) of an ER-Golgi intermediate compartment is related to a circulatory shock resuscitation protein 685-694

Cartier, N., Lacave, R., Vallet, V., Hagege, J., Hellio, R., Robine, S., Pringault, E., Cluzeaud, F., Briand, P., Kahn, A. and Vandewalle, A.
Establishment of renal proximal tubule cell lines by targeted oncogenesis in transgenic mice using the L-pyruvate kinase-SV40 (T) antigen hybrid gene 695-704

Lacave, R., Bens, M., Cartier, N., Vallet, V., Robine, S., Pringault, E., Kahn, A. and Vandewalle, A.
Functional properties of proximal tubule cell lines derived from transgenic mice harboring L-pyruvate kinase-SV40(T) antigen hybrid gene 705-712

Douaire, M., Belloir, B., Guillemot, J.-C., Fraslin, J.-M., Langlois, P. and Mallard, J.
Lipogenic enzyme and apoprotein messenger RNAs in long-term primary culture of chicken hepatocytes 713-718

Ullrich, O., Haase, W. and Koch-Brandt, C.
Elevated cAMP levels induce multilayering of MDCK cells without disrupting cell surface polarity 719-726

Pang, Y.-Y. S., Schermer, A., Yu, J. and Sun, T.-T.
Suprabasal change and subsequent formation of disulfide-stabilized homo- and hetero-dimers of keratins during esophageal epithelial differentiation 727-740

Arnemann, J., Sullivan, K. H., Magee, A. I., King, I. A. and Buxton, R. S.
Stratification-related expression of isoforms of the desmosomal cadherins in human epidermis 741-750

Piepenhagen, P. A. and Nelson, W. J.
Defining E-cadherin-associated protein complexes in epithelial cells: plakoglobin, β- and γ-catenin are distinct components 751-762

Churchill, D., Coodin, S., Shivers, R. R. and Caveney, S.
Rapid de novo formation of gap junctions between insect hemocytes in vitro: a freeze-fracture, dye-transfer and patch-clamp study 763-772

Schulze, C. and Firth, J. A.
Immunohistochemical localization of adherens junction components in blood-brain barrier microvessels of the rat 773-782

Mardon, H. J., Grant, R. P., Grant, K. E. and Harris, H.
Fibronectin splice variants are differentially incorporated into the extracellular matrix of

tumorigenic and non-tumorigenic hybrids between normal fibroblasts and sarcoma cells 783-792

Underwood, P. A., Steele, J. G. and Dalton, B. A.
Effects of polystyrene surface chemistry on the biological activity of solid phase fibronectin and vironectin, analysed with monoclonal antibodies 793-803

Schmitt, D. A., Ohlmann, P., Gachet, C. and Cazenave, J.-P.
Platelet shape change and protein phosphorylation induced by ADP and thrombin are not sensitive to short periods of microgravity 805-810

Pypaert, M., Nilsson, T., Berger, E. G. and Warren, G.
Mitotic Golgi clusters are not tubular endosomes 811-818

Zhang, G. F., Driouich, A. and Staehelin, L. A.
Effect of monensin on plant Golgi: re-examination of the monensin-induced changes in cisternal architecture and functional activities of the Golgi apparatus of sycamore suspension-cultured cells 819-831

van Meer, G. and van 't Hof, W.
Epithelial sphingolipid sorting is insensitive to reorganization of the Golgi by nocodazole, but is abolished by monensin in MDCK cells and by brefeldin A in Caco-2 cells 833-842

Highett, M. I., Rawlins, D. J. and Shaw, P. J.
Different patterns of rDNA distribution in *Pisum sativum* nucleoli correlate with different levels of nucleolar activity 843-852

Maraldi, N. M., Santi, S., Zini, N., Ognibene, A., Rizzoli, R., Mazzotti, G., Di Primio, R., Bareggi, R., Bertagnolo, V., Pagliarini, C. and Capitani, S.
Decrease in nuclear phospholipids associated with DNA replication 853-859

Szöllösi, M. S., Kubiak, J. Z., Debey, P., de Pennart, H., Szöllösi, D. and Maro, B.
Inhibition of protein kinases by 6-dimethylaminopurine accelerates the transition to interphase in activated mouse oocytes 861-872

Suprynowicz, F. A.
Inactivation of cdc2 kinase during mitosis requires regulated and constitutive proteins in a cell-free system 873-881

Thompson-Coffe, C. and Zickler, D.
Cytoskeleton interactions in the ascus development and sporulation of *Sordaria macrospora* 883-898

Chandra, R., Endow, S. A. and Salmon, E. D.
An N-terminal truncation of the ncd motor protein supports diffusional movement of microtubules in motility assays 899-906

Inaba, K., Akazome, Y. and Morisawa, M.
Purification of proteasomes from salmonid fish sperm and their localization along sperm flagella 907-915

Morris, R. L. and Hollenbeck, P. J.
The regulation of bidirectional mitochondrial transport is coordinated with axonal outgrowth 917-927

Mozingo, N. M., Hollar, L. R. and Chandler, D. E.
Degradation of an extracellular matrix: sea urchin hatching enzyme removes cortical granule-derived proteins from the fertilization envelope 929-938

Vertel, B. M., Walters, L. M., Grier, B., Maine, N. and Goetinck, P. F.
Nanomelic chondrocytes synthesize, but fail to translocate, a truncated aggrecan precursor 939-948

Commentaries

Whiteside, S. T. and Goodbourn, S.
Signal transduction and nuclear targeting: regulation of transciption factor activity by subcellular localisation 949-955

Arnold, H.-H. and Braun, T.
The role of Myf-5 in somitogenesis and the development of skeletal muscles in vertebrates 957-960

Nicklas, R. B., Krawitz, L. E. and Ward, S. C.
Odd chromosome movement and inaccurate chromosome distribution in mitosis and meiosis after treatment with protein kinase inhibitors 961-973

Nahon, P., Coffe, G., Le Guyader, H., Darmanaden-Delorme, J., Jeanmaire-Wolf, R., Clérot, J.-C. and Adoutte, A.
Identification of the epiplasmins, a new set of cortical proteins of the membrane cytoskeleton in *Paramecium* 975-990

Watanabe, H., Nakanishi, I., Yamashita, K., Hayakawa, T. and Okada, Y.
Matrix metalloproteinase-9 (92 kDa gelatinase/type IV collagenase) from U937 monoblastoid cells: correlation with cellular invasion 991-999

Girard, M. T., Matsubara, M., Kublin, C., Tessier, M. J., Cintron, C. and Fini, M. E.
Stromal fibroblasts synthesize collagenase and stromelysin during long-term tissue remodeling 1001-1011

Merry, K., Dodds, R., Littlewood, A. and Gowen, M.
Expression of osteopontin mRNA by osteoclasts and osteoblasts in modeling adult human bone 1013-1020

Witmer-Pack, M. D., Hughes, D. A., Schuler, G., Lawson, L., McWilliam, A., Inaba, K., Steinman, R. M. and Gordon, S.
Identification of macrophages and dendritic cells in the osteopetrotic (op/op) mouse 1021-1029

Hunter, G. K., Holmyard, D. P. and Pritzker, K. P. H.
Calcification of chick vertebral chondrocytes grown in agarose gels: a biochemical and ultrastructural study 1031-1038

Prakapas, Z., Denoyelle, M., Dargemont, C., Kroese, F. G. M., Thiery, J. P. and Deugnier, M.-A.
Enrichment and characterization of thymus-repopulating cells in stroma-dependent cultures of rat bone marrow 1039-1048

Hourihan, H., Allen, T. D. and Ager, A.
Lymphocyte migration across high endothelium is associated with increases in $\alpha_4\beta_1$ integrin (VLA-4) affinity 1049-1059

Adams, J. C. and Lawler, J.
Diverse mechanisms for cell attachment to platelet thrombospondin 1061-1071

Leach, L., Clark, P., Lampugnani, M.-G., Arroyo, A. G., Dejana, E. and Firth, J. A.
Immunoelectron characterisation of the inter-endothelial junctions of human term placenta 1073-1081

Grassie, M., McNab, D. and Macnab, J. C. M.
The characteristic which makes the cell-coded HSV-inducible U90 distinctive in transformed cells is its greatly increased half-life 1083-1090

Searle, S., McCrossan, M. V. and Smith, D. F.
Expression of a mitochondrial stress protein in the protozoan parasite *Leishmania major* 1091-1100

Mahoney, M. G., Slakey, L. L., Hepler, P. K. and Gross, D. J.
Independent modes of propagation of calcium waves in smooth muscle cells 1101-1107

Harder, T., Thiel, C. and Gerke, V.
Formation of the annexin II_2p11_2 complex upon differentiation of F9 teratocarcinoma cells 1109-1117

Zhu, Q., Liu, T. and Clarke, M.
Calmodulin and the contractile vacuole complex in mitotic cells of *Dictyostelium discoideum* 1119-1127

Kimura, M., Yamaguchi, Y., Takada, S. and Tanabe, K.
Cloning of a Ca^{2+}-ATPase gene of *Plasmodium falciparum* and comparison with vertebrate Ca^{2+}-ATPases 1129-1136

Canlon, B. and Dulon, D.
Dissociation between the calcium-induced and voltage-driven motility in cochlear outer hair cells from the waltzing guinea pig 1137-1143

Coan, D. E., Wechezak, A. R., Viggers, R. F. and Sauvage, L. R.
Effect of shear stress upon localization of the Golgi apparatus and microtubule organizing center in isolated cultured endothelial cells 1145-1153

Alemany, R., Vilá, M. R., Francí, C., Egea, G., Real, F. X. and Thomson, T. M.
Glycosyl phosphatidylinositol membrane anchoring of melanotransferrin (p97): apical compartmentalization in intestinal epithelial cells 1155-1162

Carré, I. A. and Edmunds, L. N. Jr
Oscillator control of cell division in *Euglena*: cyclic AMP oscillations mediate the phasing of the cell division cycle by the circadian clock 1163-1173

Buchenau, P., Saumweber, H. and Arndt-Jovin, D. J.
Consequences of topoisomerase II inhibition in early embryogenesis of *Drosophila* revealed by in vivo confocal laser scanning microscopy 1175-1185

Dirks, R. W., van de Rijke, F. M., Fujishita, S., van der Ploeg, M. and Raap, A. K.
Methodologies for specific intron and exon RNA localization in cultured cells by haptenized and fluorochromized probes 1187-1197

Hozák, P., Schöfer, C., Sylvester, J. and Wachtler, F.
A study on nucleolar DNA: isolation of DNA from fibrillar components and ultrastructural localization of different DNA probes 1199-1205

Aist, J. R., Liang, H. and Berns, M. W.
Astral and spindle forces in PtK_2 cells during anaphase B: a laser microbeam study 1207-1216

Liu, B., Marc, J., Joshi, H. C. and Palevitz, B. A.
A γ-tubulin-related protein associated with the microtubule arrays of higher plants in a cell cycle-dependent manner 1217-1228

Muresan, V., Joshi, H. C. and Besharse, J. C.
γ-Tubulin in differentiated cell types: localization in the vicinity of basal bodies in retinal photoreceptors and ciliated epithelia 1229-1237

Zheng, J., Buxbaum, R. E. and Heidemann, S. R.
Investigation of microtubule assembly and organization accompanying tension-induced neurite initiation 1239-1250

Deiner, M., Tamm, S. L. and Tamm, S.
Mechanical properties of ciliary axonemes and membranes as shown by paddle cilia 1251-1262

Bossie, C. A. and Sanders, M. M.
A cDNA from *Drosophila melanogaster* encodes a lamin C-like intermediate filament protein 1263-1272

Andersland, J. M. and Parthasarathy, M. V.
Conditions affecting depolymerization of actin in plant homogenates 1273-1279

Garcia, M., Mirre, Ch., Quaroni, A., Reggio, H. and Le Bivic, A.
GPI-anchored proteins associate to form microdomains during their intracellular transport in Caco-2 cells 1281-1290

Index of Authors and Titles 1291-1297

Subject Index 1299-1312